

**The 63rd Annual
Sarasota Orchid Society
Show**

**“Orchids in Paradise”
January 3 - 5, 2020**

Organized by
The SOS Show Committee

Rules & Regulations

The **Sarasota Orchid Society Show** has been approved for conduct of American Orchid Society Judging (AOS Judging) at this event. Ribbon/Award judging, conducted by AOS judges & other qualified persons, will begin at approximately 6:30 pm, January 3, 2020. AOS judging after ribbon judging has been completed.

NOTICE: Neither the Sarasota Orchid Society nor its volunteers, the City of Sarasota Municipal Auditorium as an entity, or its employees shall be held responsible for lost or stolen plants, objects within displays, or materials offered in various commercial spaces. Precautions will be taken to safeguard these items.

- 1) Persons or groups intending to enter an exhibit must contact the Show Chairman in advance. Commercial exhibitors desiring to sell plants and supplies must request reservation of sales space in advance.
- 2) This show competition will be governed by the AOS's current "Handbook of Judging and Exhibition." Where additional rules are deemed necessary, such rules will be formulated by The Show Committee.
- 3) Decisions of the Judges and rulings of the Show Committee shall be final.
- 4) Exhibits must be set up on Friday, January 3, 2020, between 9 am and 4 pm. Classification and registration will be open 10am – 3pm. **No exceptions.** Changes only – 4 pm. Exhibitors are expected to create their displays in such a way as to reflect the Show Theme in some manner; originality is encouraged. The Show Committee reserves the right to reject tardy or unsuitable entries. **Plants or props may NOT be removed before 5:00 pm on Sunday, Jan. 5, 2020, without written consent of the Show Chairman.** Note: All exhibitor plants & materials must be removed from the auditorium by 6pm, Jan. 6th; plants or materials left behind by exhibitors after that time will be disposed of at the discretion of the Show Committee.
- 5) Judges shall consider adherence to show theme in judging each display. (Classes 90-93)
- 6) No lights or water will be permitted within the exhibits.
- 7) A limited number of colorful non-flowering foliage plants (other than orchids) may be incorporated in an exhibit, provided that these colorful plants are staged in such a way that they do NOT distract from the flowering orchids in that display. No artificial or dyed plant material may be used.
- 8) Exhibitor identification signs will be furnished by the Show Committee. The exhibitor may provide its own "theme" sign.
- 9) To be considered for any award from Section 3, plants must be correctly classified and plant name tagged appropriately. Hybrid plant registration forms must include names of both parents as well as any previous awards (if known). Registration personnel, in order to compile the most accurate entry records possible, may provide some assistance to exhibitors during the registration process; regardless, ultimate responsibility for accuracy is that of the individual owner/exhibitor. Improperly classified entries will be reclassified only at the Judges' discretion and time permitting. Placement of entry tags provided by the Committee is important; tags must be legible from the floor.
- 10) An exhibitor may not enter the same plant in more than one class, except for "Foliage" (Class 100) Plants in these categories may also be entered within the Flower Classes where eligible.

- 11) All plants on the **Individual tables** must be entered for judging with the appropriate space number. The Sarasota Orchid Society reserves the right to arrange the plants into a pleasing display, and at the recommendation of the judges, to remove any plant from judging that is diseased, infected with pests, or in any way in unacceptable condition for display. Plants will be held and returned to the table at 5 pm tear down for retrieval by their owners.
- 12) **Commercial Exhibitors** will participate in Section 1 Special Awards by submitting a designated number of plants, each properly groomed and labeled, to a group display that will be staged by a commercial exhibitor chosen by the Sarasota Orchid Society. Each plant in the exhibit will be identified as to its owner after judging has been completed. No entry is required for these plants to be considered for Special Awards listed in Section 1. The Open Class 10 exhibit will be eligible for the AOS Show Trophy, subject to the detailed criteria mentioned in Section 1.
- 13) Commercial Exhibits can sell plants from the commercial exhibitor display, however, plants must stay in the display until 5 pm of tear down.
- 14) Judges have the right to award or withhold any scheduled ribbon or award; they may subdivide and/or combine classes at their discretion, but in coordination with the Sarasota Orchid Society Head Clerk.
- 15) It is up to the participating clubs to properly identify and classify their entries. Entries submitted in the wrong class will not be judged. Also, there have been many changes in Orchid names and associate genera. In particular, the following Laeliinae genera are no longer valid; **Blc., Lc., Slc., Sl., Sc.** and **Pot.** Please consult one of the electronic databases currently in use to verify that the generic nomenclature used for a particular entry is valid.
- 16) Entries in size categories (*Cattleya*, *Vanda*, and *Phalaenopsis*) will be classified based on their typical expected size, not the size of the entry. Example, a *Cattleya* with 4" flowers that is expected to produce 6" flowers will be entered in the 5" and over class. OrchidWiz and AQPlus will be used as primary references by using the average natural spread provide of the awarded flowers.
- 17) All plants **exhibited** in the Sarasota Orchid Society show will be eligible for AOS Judging awards and Special Awards, regardless of where they are situated in the competitive spaces unless marked NOT FOR JUDGING.
- 18) Individuals are invited to enter their best plants for competition; registration is available 10 am-3 pm, January 3, 2020.
- 19) Winners within the Classes 100 to 990 will be awarded show ribbons as follows:

BLUE RIBBON	RED RIBBON	YELLOW RIBBON
First Place	Second Place	Third Place
- 20) Definitions:
 - HOBBYIST:** One who grows Orchids primarily for pleasure and does not derive his livelihood there from.
 - COMMERCIAL GROWER:** One who grows/produces orchid plants and flowers primarily for sale.
 - OPEN CLASS COMPETITOR:** Hobbyist **or** Commercial Grower can qualify for entry in this class.

Section 1 - SPECIAL TROPHIES

These awards are given to the best plant/flower in the category and will be selected from among all plants shown within the displays or on the individual entry tables. All plants in the auditorium (Hobbyists and Commercial growers) are eligible.

1. Grand Champion - Best Orchid in the Show - [\$200.]

The orchid plant is chosen by balloting of the American Orchid Society's judges. Judges will be asked to select their first and second choices. Each *First Choice* will be scored with (5) points and the *Second Choice* three (3) points. The selection scoring the highest number of points will be designated "**Grand Champion.**"

2. Best Specimen Plant – Species [\$100.]

3. Best Specimen Plant – Hybrid [\$100.]

Judging teams will be invited to submit nominations for the best specimen - species and best specimen - hybrid, during the course of their assigned judging activity. The winner, selected from those nominees, will be determined by AOS judges at the conclusion of show judging.

4. American Orchid Society's Show Trophy

The AMERICAN ORCHID SOCIETY SHOW TROPHY for the most outstanding exhibit may be awarded at the discretion of the A.O.S judges. **Must score 80 points or more.** The A.O.S. scale of points for judging exhibitions will be followed with emphasis on artistic effect and general consideration of the Show Theme:

General Arrangement	35 pts.
Quality of Plants/Flowers	35 pts.
Variety	20 pts.
Labeling	10 pts.

Section 2 – THE EXHIBITS – (Classes > 90-93)

90. Open Class Exhibit -----100 square feet **1st Place \$100.00, 2nd Place \$75.00.**
[Individuals or commercial growers may enter this CLASS, though traditionally, individuals choose to enter CLASS 2 for "Hobbyists."]

91. Hobbyist Exhibit -----25-30 square feet **1st Place \$100.00, 2nd Place \$75.00.**
[Exhibits in this display shall include plants from a single amateur/hobbyist grower. Plants must be entered to be considered for ribbon judging]

92. Society Exhibit -----100 sq. ft. (10' x 10') **1st Place \$100.00, 2nd Place \$75.00, 3rd Place \$50.00**
[Exhibit may include plants from many of the named society's membership; however, plants to be considered for ribbon judging must be individually entered. No parts of the exhibit may be incorporated in adjacent background material, i.e. backdrop cloth or supporting structure, nor may any exhibit plants be placed on the floor in front of or at any margin of the designated space.]

93. Educational Exhibit -----100 square feet **1st Place, \$100.00, 2nd Place \$75.00.**
[Judges shall carefully consider the "educational" component and its message as represented by the display staged; an educational exhibit may be staged without special individual orchids but its presenter may also choose to display plants that can be entered for ribbon judging. An educational display that does not present a message to show viewers/visitors may be disqualified by the Show Committee.]

Section 3 – THE INDIVIDUAL PLANTS IN FLOWER

SHOW TROPHIES:

The following **Show Trophies** will be chosen from the respective winning selections in Section 3, and are available to the entered plants in Section 2 Exhibits only.

Best of *Cattleya* Group [\$50.]

Best in Laeliinae Alliance (excluding *Cattleya*) [\$50.]

Best in Cyripedioideae [\$50.]

Best of *Phalaenopsis* Group [\$50.]

Best in Vandaeae Alliance (excluding *Phalaenopsis*) [\$50.]

Best in Oncidiinae [\$50.]

Best in Dendrobiinae [\$50.]

Best of Diversified Genera [\$50.]

Open Classes 100 > 970

Note: To determine the correct class for a plant's entry, start reading down the list of CLASSES from the beginning of the listing and then enter the plant in the first CLASS in which the species or hybrid is eligible. Read the Class description carefully and be especially careful with new nomenclature, i.e. different from that to which we have been accustomed. Entries that are classified incorrectly may not be judged.

Foliage

100. Any Orchid Species, hybrid or Intergeneric, in bloom or not, exhibiting outstanding multi-colored foliage. Entries in this class will only be judged based on its foliage. Entries in this class, if in bloom, can also be entered into one of the flowering classes below, but will require a second Entry ID for the flowering class.

Laeliinae (Classes 110 > 330)

110. **Epidendrum Species, Hybrids** (*Epi. x Epi.*) and **Intergeneric Hybrids** including *Cattleya* (e.g. *Epicatanthe*, *Epicattleya*, *Epicyclia*, *Epithechea*, *Guaridendrum*, *Rhynchodendrum*, etc.)
120. **Encyclia & Prosthechea Species, Hybrids, Intrageneric** (*E. x Psh.*) **Hybrids** and **Intergeneric Hybrids** including *Cattleya* (e.g. *Encyclaelia*, *Encyclarthron*, *Guaricyclia*, *Prosavola*, *Prosyclia*, *Psythechea*, *Rhynchothecea*, *Rhyncyclia*, etc)
130. **Broughtonia Species, Hybrids** and **Intergeneric Hybrids** including *Cattleya* (e.g. *Cattleytonia*, *Cattoniphila*, *Cautonleya*, *Caultonia*, *Guaricattonia*, *Laeliocatonia*, *Laelonia*, *Rhyntonleya*, *Volkertara*, etc.)
140. **Brassavola Species, Hybrids** (*B. x B.*) and **Intergeneric Hybrids** including *Cattleya* (e.g. *Brassanthe*, *Brassocatanthe*, *Brassocattleya*, *Brassoleya*, *Myrmecatavola*, etc.)

150. **Guarianthe Species, Hybrids** (Gur. × Gur), and **Intergeneric Hybrids** including *Cattleya* (e.g. *Barcatanthe*, *Barkeranthe*, *Cattleanthe*, *Enanthleya*, *Guarilaeliarthon*, *Guarthroleya*, *Guarthron*, *Friedaara*, *Laeliocatanthe*, *Ledienara*, *Leptoguarianthe*, *Marimerara*, *Psychanthe*, *Rechingerara*, *Rhyncattleanthe*, *Rhynchoguarlia*, etc)
160. **Laelia Species** (e.g. *L. anceps*, *L. rubescens*, *L. speciosa*, *L. aurea*, *L. autumnalis*, *L. gouldiana*, *L. undulata*, *L. superbiens*), **Hybrids** (*L. × L.*) and **Intergeneric Hybrids** including *Cattleya* (*Caulaelia*, *Eucatlaelia*, *Laechilis*, *Laeliokeria*, *Laeliocattkeria*, *Laeliocattleya*, *Laeliocatarthon*, *Laelirhynchos*, *Myrmecatlaelia*, *Oerstelaelia*, etc)
170. **Myrmecophila Species, Hybrids** and **Intergeneric Hybrids** including *Cattleya* (e.g. *Cattarthrophila*, *Caulophila*, *Eucatophila*, *Myrmecocattleya*, *Psychophila*, etc) (Note: "Schomburgkia" is no longer an accepted genera. Species of this genera have been moved to the *Myrmecophila* or the *Laelia* genera)
180. **Rhyncholaelia Species, Hybrids** (Rl. X Rl.), and **Intergeneric Hybrids** excluding *Cattleya* (e.g. *Rhynarthron*, *Rhyncanthe*, *Psychelia*, etc)
190. **Other Laeliinae Species** excluding *Cattleya* (e.g., *Acrorchis*, *Adamantina*, *Alamania*, *Arpophyllum*, *Artorima*, *Barkeria*, *Caularthron*, *Constantia*, *Dimerandra*, *Dinema*, *Domingoa*, *Hagsatera*, *Homalopetalum*, *Isabelia*, *Jacquiiniella*, *Leptotes*, *Loefgrenianthus*, *Meiracyllium*, *Microepidendrum*, *Nidema*, *Oestlundia*, *Orleanesia*, *Pseudolaelia*, *Psychilis*, *Quisqueya*, *Scaphyglottis*, *Tetramicra*, etc.), **Hybrids** excluding *Cattleya*, and **Intergeneric Hybrids** other than above, including *Cattleya*.

Special Trophy:

195. **Best in Laeliinae Alliance** (excluding *Cattleya*) **Classes 110-190**

Cattleya (Classes 200 > 310)

Species

200. **Small Species** that typically produce flowers that are less than 5" in natural spread (width)
Note: A small-flowered example of what should be a large flowered species is not eligible in this class and should be entered in the class below.
210. **Large Species** that typically produce flowers that are 5" or greater in natural spread

Hybrids & Intergeneric Hybrids - The following Classes are limited to *Cattleya* Hybrids (C x C) and *Rhyncholaeliocattleya* (Rlc) only. All other Intergeneric Hybrids are covered above.

Small Flowers –i.e., less than 5" (12.5 cm) natural spread.

Note: A small-flowered example of what should be a large flowered hybrid is not eligible in these classes and should be entered in the next set (Classes 270-310).

Also, Entry should be placed in the first class below that matches the flower.

220. Concolor (solid color in petals, sepal, dorsal and lip, which may be shaded)
230. Splash petals (or sepals)
240. Bi-colored (DIFFERENT colored lip, 2 colors)
250. Spotted
260. Other forms and combinations of above

Large Flowers – i.e., 5" (12.5 cm) or larger in natural spread.

Entry should be placed in the first class below that matches the flower.

270. Concolor (solid color in petals, sepal, dorsal and lip which may be shaded)

- 280. Splash petals (or sepals)
- 290. Bi-colored (DIFFERENT colored lip, 2 colors)
- 300. Spotted
- 310. Other forms and combinations of above

Special Trophy:

- 315. **Best of *Cattleya* Group Classes 200-310**

Cypripedioideae (Classes 320 > 390)

- 320. **Cypripedium, Phragmipedium, Selenipedium, Mexipedium Species, Hybrids and Intergeneric Hybrids**

Paphiopedilum Species

- 330. **Multi-floral** by habit – Must produce at least 3 flowers per inflorescence (*Coryopedilum* and *Pardalopetalum* sections)
- 340. **Successive** (Sequential) bloomer on the same inflorescence by habit (*Cochlopetalum* section)
- 350. **All Other Species** – (from *Barbata*, *Paphiopedilum*, *Brachypetalum* and *Parvisepalum* sections)

Paphiopedilum Hybrids and Intergeneric Hybrids

- 360. **Multi-floral** by habit – Hybrids that normally produce at least 3 flowers per inflorescence (e.g. *Addicted Phillip*, *Anita Baby*, *Harold Koopowitz*, *Henrietta Dancing*, *Jerry Spencer*, *Kemp Tower*, *Mt Toro*, *Lady Isabel*, *Parish Amble*, *Prime Child*, *St. Swithin*, *Vanguard*, etc)
- 370. **Successive** - Hybrids that bloom sequentially on the same inflorescence by habit (e.g. *Dryad*, *Henrietta Fujiwara*, *Judge Philip*, *Magic Paradise*, *Pinocchio*, *Vicky's Twirls*, etc)
- 380. **All other Hybrids** and **Intergeneric Hybrids** including *Maudiae* Types, Complex Bulldogs, *Brachypetalum* and *Parvisepalum*.

Special Trophy:

- 385. **Best in Cypripedioideae Classes 320-380**

Vandaeae (Classes 390 > 630)

- 390. **Renanthera Species, Hybrids** (*Ren.* × *Ren.*) and **Intergeneric Hybrids**, excluding *Vanda* (*Renanstylis*, *Rhyndopsis*, *Renantada*, etc.)
- 400. **Rhynchostylis Species** and **Hybrids** – (*Rhy.* × *Rhy.*) and **Intergeneric Hybrids** other than above, excluding *Vanda* (*Rhynchovanda*, *Opsistylis*, *Sartylis*, etc.)
- 410. **Vanda Species and Hybrids – Miniature** with flowers less than 2" (5 cm) in natural spread (e.g. *miniatum*, *ampullacea* (was *ampullaceum*), and species previously identified as *Neofinitia* & *Ascocentrum*)
- 420. **Vanda Species with flowers 2" (5 cm) or greater** in natural spread

430. **Vanda sanderiana type Hybrids and Intergeneric Hybrids**

Note: Entry must show the *V. sanderiana* mask.

Vanda Hybrids - (*V.* × *V.*) with flowers 2" (5 cm) or larger in natural spread

440. Red

450. Yellow/Orange

460. Tan/Brown

470. Pink

480. Lavender/Purple/Blue

490. Colors other than above

500. **Vanda Intergeneric Hybrids** other than above, including *Phalaenopsis* (e.g. *Aeridovanda*, *Aranda*, *Luisanda*, *Papilionanda*, *Paravanda*, *Vandaenopsis*, *Vanvanda*, etc.)

Phalaenopsis (Classes 510 > 590)

510. **Phalaenopsis Species**

Phalaenopsis Hybrids must include species from the *Phalaenopsis* section in their background.

2.0" (5.0 cm) or larger in natural spread

520. Phalaenopsis Hybrids Concolor including shaded overlays

530. Phalaenopsis Hybrids Concolor with a distinctly different colored lip

540. All other Hybrids ie: Spotted, Striped, Veined, Barred or Blotched (Harlequin)

Less than 2.0" (5.0 cm) in natural spread

550. Phalaenopsis Hybrids Concolor including shaded overlays

560. Phalaenopsis Hybrids Concolor with a distinctly different colored lip

570. All other Hybrids ie: Spotted, Striped, Veined, Barred or Blotched (Harlequin)

580. **Phalaenopsis Hybrids** that do not include species from the *Phalaenopsis* section in their background.

590. **Phalaenopsis Intergeneric Hybrids** other than above (*Luinopsis*, *Sarconopsis*, etc.) and excluding Vanda which should be placed in Class 500 "Vanda Intergeneric Hybrids".

Special Trophy:

595. **Best of Phalaenopsis Group Classes 510-590**

All Other Vandae Genera (Classes 600 > 630)

600. **Aeridinae Species, Hybrids and Inter/Intrageneric Hybrids** (*Aerides*, *Arachnis*, *Papilionanthe*, *Paraphalaenopsis*, *Robiquetia*, *Trichoglottis*, *Vandopsis*, etc.)

610. **Aerangidinae Species, Hybrids and Inter/Intrageneric Hybrids** (*Aerangis*, *Beclardia*, *Diaphananthe*, *Listrostachys*, *Microcoelia*, *Ypsilopus*, etc.)

620. **Angraecinae Species, Hybrids and Inter/Intrageneric Hybrids** (*Angraecum*, *Aeranthes*, *Dendrophylax*, *Jumellea*, etc.)

630. **Polystachyinae Species, Hybrids and Inter/Intrageneric Hybrids** (*Adrorhizon*, *Hederorkis*, *Imerinaea*, *Neobenthamia*, *Polystachya*, *Sirhookera*, etc.)

Special Trophy:

635. **Best in Vandee Alliance** (excluding *Phalaenopsis*) **Classes 390-630 but excluding Classes 510-590**

Oncidiinae (Classes 640 > 700)

640. **Brassia species** and **Hybrids** (*Brs.* × *Brs.*)
650. **Miltonia species** and **Hybrids** (*Milt.* × *Milt.*)
660. **Psychopsis species** and **Hybrids** (*Psychopsis* × *Psychopsis*)
670. **“Equitant” type Hybrids and Intergeneric Hybrids** including *Tolumina* and *Rodriguezia*; small fan-shaped plants with leaves overlapping at base. (e.g. *Eliara*, *Gohartia*, *Gomguezia*, *Ilonara*, *Oncidumnia*, *Rodrostele*, *Rodrumnia*, *Tolutonia*, *Tolassia*, *Tolucentrum*, etc)
680. **Oncidium species** (includes many species formerly in “*Odontoglossum*” which is no longer an accepted name; *Solenidiopsis*, *Cyrtochilum* etc.), and **Hybrids** (*Onc.* × *Onc.*)
690. **Oncidium Intergeneric Hybrids** excluding *Tolumina* and *Rodriguezia*; (e.g. *Aliceara*, *Brassidium*, *Miltonidium*, *Oncosteles*, *Pettitara*, *Psychocidium*, *Schunkeara*, *Trichocidium*, etc.)
700. **Allied genera species** (*Aspasia*, *Macradenia*, *Rhynchosteles*, *Trichocentrum*, etc.), **Hybrids** and **Intergeneric Hybrids** (excluding *Oncidium*)

Special Trophy:

705. **Best in Oncidiinae Classes 640-700**

Dendrobiinae (Classes 710 > 840)

Dendrobium Species

710. **Phalaenopsis Type** including the **Phalaenanthe** (*affine*, *biggibum*, *phalaenopsis*, *williamsianum*) and **Fytchianthe** (*barbatulum*, *barbatum*, *fytscheanum*, *ovatum*, *wightii*) Sections.
720. **Antelope Type** – Including the **Spatulate Section** (*antennatum*, *stratiotes*, *lasianthera*, *canaliculatum*, *gouldii*, *lineale*, etc.)
730. **Latouria Type** – Including the **Latouria** (*spectabile*, *atroviolaceum*, *macrophyllum*, *rhodostictum*) and **Breviflores** (*aduncum*, *hercoglossum*, *stuposum*) Sections.
740. **Callista Type** – Including the **Callista** Section (*chrysotoxum*, *densiflorum*, *farmeri*, *griffithianum*, *jenkinsii*, *loddigesii*, *thyrsiflorum*)
750. **Dendrobium Type** - Including the **Dendrobium** (*anosmum*, *aphyllum*, *bensooniae*, *moniliforme*, *moschatum*, *parishii*, *pendulum*, *primulinum*, *pulchellum*, *senile*, *tortile*, *unicum*) and **Stachyobium** (*barbatulum*, *compactum*, *delacourii*) Sections.
760. **Pedilonum Type** including the **Pedilonum**, **Calcarifera**, **Calyptrochilus**, **Oxyglossum**, and **Platycaulon** Sections
770. **All Other Dendrobiinae Species** other than those listed above.

Dendrobium Hybrids

780. **Phalaenopsis Type** - Hybrids that resembles classic *Phalaenopsis* like form. One or more erect inflorescence originating from top of cane, both old and new, with individual flowers distributed along each Inflorescence like a Phalaenopsis orchid. Will have a dominance of species from the *Phalaenantha* and/or *Fytchianthe* sections.
790. **Antelope Type** - One or more erect inflorescence originating from the upper portion of the cane with individual flowers distributed along the inflorescence. Flowers are characterized by their spirally twisted floral segments and asymmetrical flowers derived from species of the *Spatulata* Section, not *Latouria*.
- Note:** Phalaenopsis x Antelope type hybrids will be classed under **Phalaenopsis Type** above if most flowers do not exhibit more than a full (360 degrees) twist in its petals and sepals, or **Antelope Type** if most flowers do exhibit more than a full (360 degrees) twist. Dorsal will not have any bearing on classification.
800. **Latouria Type** - Arching Inflorescence originating from apex of cane, flowers cluster at the end of the Inflorescence and tend to point down. Will have a dominance of species from the *Latouria* and/or *Breviflores* Section
810. **Callista Type** - Pendulous inflorescence originating from apex or near apex of cane with many individual flowers distributed along the entire Inflorescence.
820. **Dendrobium Type** – Clusters of several (1-5) flowers originating along most or all of the cane across from the leaf node. Will have a dominance of species from the *Dendrobium* and/or *Stachyobium* Sections
830. **Pedilonum (Bottle Brush) Type** - Flowers are produced in dense clusters of small, colorful flowers on short inflorescence emerging from the leaf nodes of second-year leafless canes (ie: bracteosum & smilliae), or from arching inflorescence emerging from the top of the cane with small flowers resembling a bottle brush (ie: secundum). Will have dominance from the *Pedilonum*, *Calcarifera*, *Calyptrochilus*, *Oxyglossum*, and/or *Platycaulon* Sections
840. **All Dendrobieae Hybrids** and **Intergeneric Hybrids** other than listed above (e.g., in Sections: *Formosae*, *Dendrocoryne*, etc)
- Note: All other Dendrobieae excluding Dendrobieae go under Diversified. Dendrobieae Hybrids including Dendrobium intergeneric are under 880**

Special Trophy:

845. **Best in Dendrobieae – Classes 710-840**

Diversified Genera (Classes 890 > 970)

850. **Cymbidiinae Species** (*Ansellia*, **Cymbidium**, *Grammatophyllum*, *Galeandra*, *Eulophia*, *Oeceoclades*, etc.), **Hybrids** and **Intergeneric Hybrids** within the tribe
860. **Catasetinae** subtribe **Species** (*Catasetum*, *Clowesia*, *Cycnoches*, *Mormodes*, *Catamodes*, etc.) **Hybrids** and **Intergeneric Hybrids** within the tribe

870. **Bulbophyllinae Species** (*Bulbophyllum*, "Cirrhopetalum", *Trias*, *Sunipia*), **Hybrids** and **Intergeneric Hybrids** within the tribe
880. **Pleurothallidinae Species** (*Pleurothallis*, *Lepanthes*, *Masdevallia*, *Restrepia*, etc.), **Hybrids** and **Intergeneric Hybrids** within the tribe
890. **Stanhopeinae Species** (*Stanhopea*, *Braemia*, *Gongora*, *Acineta*, *Polycycnis*, *Houlletia*, etc.), **Hybrids** and **Intergeneric Hybrids** within the tribe
900. **Coelogyneae Species** (*Coelogyne*, *Dendrochilum*, etc.), **Hybrids** and **Intergeneric Hybrids** within the tribe
910. **Maxillarieae Species** (*Maxillaria*, *Zygopetalum*, *Cochleanthes*, *Huntleya*, *Dichaea*, *Ornithocephalus*, etc.), **Hybrids** and **Intergeneric Hybrids** within the tribe
920. **Goodyerinae Species** (*Anoectochilus*, *Goodyera*, *Ludisia*, *Macodes*, *Zeuxine* etc.), **Hybrids** and **Intergeneric Hybrids** within the tribe
930. **Arethuseae Species** (*Arethusa*, *Arundina*, *Bletilla*, *Calopogon*, etc.), **Hybrids** and **Intergeneric Hybrids** within the tribe
940. **Species** not covered above
950. **Hybrids and Intergeneric Hybrids** not covered above

Special Trophy:

955. **Best of Diversified Genera - Classes 850-950**